

Projection Screens (Display Devices)

FIG. 1






FIG. 2

```
w = image.getIconWidth (); h = image.getIconHeight ()  
self.imageSubset((0, 0, 0, 0), (w, h),  
{"imageName":imageName, "fit":true})
```



Controller  
(Client Computer)



- Sized to fit one cell
  - Size and position control is done by the client
- Projection Screens (Display Devices)

**FIG. 3A**

```

w = image.getIconWidth (); h = image.getIconHeight ()
self.imageSubset((0, 2, 0, 2), (w, h),
{"imageName":imageName, "fit":true})

```





- Sized to fit one cell
- Size and position control is done by the client

**FIG. 3B**

5/11

```
w = image.getIconWidth (); h = image.getIconHeight ()  
self.imageSubset((2, 0, 2, 0), (w, h),  
{"imageName":imageName, "fit":true})
```





- Sized to fit one cell
- Size and position control is done by the client

**FIG. 3C**

# Size Control —

```
w = image.getIconWidth (); h = image.getIconHeight ()
self.imageSubset((2, 2, 2, 2), (w, h),
{"imageName":imageName , "fit":true})
```




- Sized to fit one cell
- Size and position control is done by the client


**FIG. 3D**

7/11

```
w = image.getIconWidth (); h = image.getIconHeight ()  
self.imageSubset((0, 0, 2, 2), (w, h),  
{"imageName":imageName , "fit":false})
```



Controller  
(Client Computer)




- Sized to fit all cells (I.e., x: 3x, y: 3x)

**FIG. 4**


521	522	523
524	525	526
527	528	529

500

```
w = image.getIconWidth (); h = image.getIconHeight ();  
self.imageSubset(0, 0, 2, 2), (w, h),  
{ " imageName":imageName , "fit":false})
```



Controller  
(Client Computer)




- Sized to fit selected cells (that is, x: 2x, y: 3x)

FIG. 5





- FIG. 6**



**FIG. 7**

11/11




FIG. 8